



Powered by

**GURNAAM ELECTRICALS PVT. LTD.**

AN ISO CERTIFIED COMPANY



Powered by

**GURNAAM ELECTRICALS PVT. LTD.**  
AN ISO CERTIFIED COMPANY

**LYVIOS** is a premium lighting brand Powered by **GURNAAM ELECTRICALS PVT. LTD.** dedicated to delivering energy-efficient, high-performance, and reliable LED lighting solutions for residential, commercial, industrial, and institutional applications

**LYVIOS** is committed to delivering innovative, energy-efficient, and dependable LED lighting solutions. Backed by advanced technology and stringent quality standards, we offer products designed for superior performance, long-lasting durability, and maximum customer satisfaction.

*Quality • Innovation • Reliability • Energy Efficiency*



## PRIME COB LIGHTS

Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensios	Cut- Out	Material
Prime COB	LYALCB07R65	7W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Prime COB	LYALCB07R40	7W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Prime COB	LYALCB07R30	7W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Prime COB	LYALCB12R65	12W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Prime COB	LYALCB12R40	12W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Prime COB	LYALCB12R30	12W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Prime COB	LYALCB18R65	18W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium
Prime COB	LYALCB18R40	18W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium
Prime COB	LYALCB18R30	18W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium



## FOCUSRAY COB LIGHTS

Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensios	Cut- Out	Material
Focusray COB	LYALCB07R65	7W	COOL WHITE	B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Focusray COB	LYALCB07R40	7W	NATURAL WHITE	B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Focusray COB	LYALCB07R30	7W	WARM WHITE	B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Focusray COB	LYALCB12R65	12W	COOL WHITE	B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Focusray COB	LYALCB12R40	12W	NATURAL WHITE	B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Focusray COB	LYALCB12R30	12W	WARM WHITE	B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Focusray COB	LYALCB18R65	18W	COOL WHITE	B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium
Focusray COB	LYALCB18R40	18W	NATURAL WHITE	B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium
Focusray COB	LYALCB18R30	18W	WARM WHITE	B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium



## ELITE COB LIGHTS

Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensios	Cut- Out	Material
Elite COB	LYALCB07R65	7W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Elite COB	LYALCB07R40	7W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Elite COB	LYALCB07R30	7W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Elite COB	LYALCB12R65	12W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Elite COB	LYALCB12R40	12W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Elite COB	LYALCB12R30	12W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Elite COB	LYALCB18R65	18W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium
Elite COB	LYALCB18R40	18W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium
Elite COB	LYALCB18R30	18W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium



## TITAN COB LIGHTS

Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensios	Cut- Out	Material
Titan COB	LYALCB07R65	7W	COOL WHITE	W+B,B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Titan COB	LYALCB07R40	7W	NATURAL WHITE	W+B,B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Titan COB	LYALCB07R30	7W	WARM WHITE	W+B,B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Titan COB	LYALCB12R65	12W	COOL WHITE	W+B,B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Titan COB	LYALCB12R40	12W	NATURAL WHITE	W+B,B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Titan COB	LYALCB12R30	12W	WARM WHITE	W+B,B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Titan COB	LYALCB18R65	18W	COOL WHITE	W+B,B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	105mm	95mm	Aluminium
Titan COB	LYALCB18R40	18W	NATURAL WHITE	W+B,B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	105mm	95mm	Aluminium
Titan COB	LYALCB18R30	18W	WARM WHITE	W+B,B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	105mm	95mm	Aluminium



Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensios	Cut- Out	Material
Nova Curve COB	LYALCB07R65	7W	COOL WHITE	W+W,B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Nova Curve COB	LYALCB07R40	7W	NATURAL WHITE	W+W,B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Nova Curve COB	LYALCB07R30	7W	WARM WHITE	W+W,B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Nova Curve COB	LYALCB12R65	12W	COOL WHITE	W+W,B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Nova Curve COB	LYALCB12R40	12W	NATURAL WHITE	W+W,B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Nova Curve COB	LYALCB12R30	12W	WARM WHITE	W+W,B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Nova Curve COB	LYALCB18R65	18W	COOL WHITE	W+W,B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium
Nova Curve COB	LYALCB18R40	18W	NATURAL WHITE	W+W,B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium
Nova Curve COB	LYALCB18R30	18W	WARM WHITE	W+W,B+R,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium



## AURA COB LIGHTS

Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensios	Cut- Out	Material
Aura COB	LYALCB07R65	7W	COOL WHITE	B+R,B+G	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	70mm	65mm	Aluminium
Aura COB	LYALCB07R40	7W	NATURAL WHITE	B+R,B+G	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	70mm	65mm	Aluminium
Aura COB	LYALCB07R30	7W	WARM WHITE	B+R,B+G	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	70mm	65mm	Aluminium
Aura COB	LYALCB12R65	12W	COOL WHITE	B+R,B+G	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Aura COB	LYALCB12R40	12W	NATURAL WHITE	B+R,B+G	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Aura COB	LYALCB12R30	12W	WARM WHITE	B+R,B+G	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Aura COB	LYALCB18R65	18W	COOL WHITE	B+R,B+G	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	85mm	Aluminium
Aura COB	LYALCB18R40	18W	NATURAL WHITE	B+R,B+G	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	85mm	Aluminium
Aura COB	LYALCB18R30	18W	WARM WHITE	B+R,B+G	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	85mm	Aluminium



## ALFA COB LIGHTS

Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensios	Cut- Out	Material
Alfa COB	LYALCB07R65	7W	COOL WHITE	W+B,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Alfa COB	LYALCB07R40	7W	NATURAL WHITE	W+B,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Alfa COB	LYALCB07R30	7W	WARM WHITE	W+B,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Alfa COB	LYALCB12R65	12W	COOL WHITE	W+B,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Alfa COB	LYALCB12R40	12W	NATURAL WHITE	W+B,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Alfa COB	LYALCB12R30	12W	WARM WHITE	W+B,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Alfa COB	LYALCB18R65	18W	COOL WHITE	W+B,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	105mm	95mm	Aluminium
Alfa COB	LYALCB18R40	18W	NATURAL WHITE	W+B,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	105mm	95mm	Aluminium
Alfa COB	LYALCB18R30	18W	WARM WHITE	W+B,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	105mm	95mm	Aluminium



## ALFA TITLED COB LIGHTS

Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensios	Cut- Out	Material
A Tilted COB	LYALCB07R65	7W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
A Tilted COB	LYALCB07R40	7W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
A Tilted COB	LYALCB07R30	7W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
A Tilted COB	LYALCB12R65	12W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
A Tilted COB	LYALCB12R40	12W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
A Tilted COB	LYALCB12R30	12W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
A Tilted COB	LYALCB18R65	12W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium



## PRIME PRO COB LIGHTS

Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensios	Cut- Out	Material
Prime Pro COB	LYALCB07R65	7W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm		
Prime Pro COB	LYALCB07R40	7W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Prime Pro COB	LYALCB07R30	7W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Prime Pro COB	LYALCB12R65	12W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Prime Pro COB	LYALCB12R40	12W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Prime Pro COB	LYALCB12R30	12W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium



## Pro One COB Lights

Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensios	Cut- Out	Material
Pro One COB	LYALCB07R65	7W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Pro One COB	LYALCB07R40	7W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Pro One COB	LYALCB07R30	7W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Pro One COB	LYALCB12R65	12W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Pro One COB	LYALCB12R40	12W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Pro One COB	LYALCB12R30	12W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Pro One COB	LYALCB18R65	18W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium
Pro One COB	LYALCB18R40	18W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium
Pro One COB	LYALCB18R30	18W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium



## Bays COB LIGHTS

Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensios	Cut- Out	Material
Bays COB	LYALCB07R65	7W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Bays COB	LYALCB07R40	7W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Bays COB	LYALCB07R30	7W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Bays COB	LYALCB12R65	12W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Bays COB	LYALCB12R40	12W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Bays COB	LYALCB12R30	12W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Bays COB	LYALCB18R65	18W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium
Bays COB	LYALCB18R40	18W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium
Bays COB	LYALCB18R30	18W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium



## Bays Lens COB

Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensios	Cut- Out	Material
Bays Lens COB	LYALCB07R65	7W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Bays Lens COB	LYALCB07R40	7W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Bays Lens COB	LYALCB07R30	7W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Bays Lens COB	LYALCB12R65	12W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Bays Lens COB	LYALCB12R40	12W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Bays Lens COB	LYALCB12R30	12W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Bays Lens COB	LYALCB18R65	18W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium
Bays Lens COB	LYALCB18R40	18W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium
Bays Lens COB	LYALCB18R30	18W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium



## KEVIN SPOT LIGHTS

Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensios	Cut- Out	Material
Kevin Spot Light	LYALCB07R65	7W	COOL WHITE	G+W,B++W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Kevin Spot Light	LYALCB07R40	7W	NATURAL WHITE	G+W,B++W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Kevin Spot Light	LYALCB07R30	7W	WARM WHITE	G+W,B++W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Kevin Spot Light	LYALCB12R65	12W	COOL WHITE	G+W,B++W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Kevin Spot Light	LYALCB12R40	12W	NATURAL WHITE	G+W,B++W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Kevin Spot Light	LYALCB12R30	12W	WARM WHITE	G+W,B++W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Kevin Spot Light	LYALCB18R65	18W	COOL WHITE	G+W,B++W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium
Kevin Spot Light	LYALCB18R40	18W	NATURAL WHITE	G+W,B++W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium
Kevin Spot Light	LYALCB18R30	18W	WARM WHITE	G+W,B++W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium



## K-ONE SPOT LIGHTS

Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensios	Cut- Out	Material
K-One Spot Light	LYALCB07R65	7W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
K-One Spot Light	LYALCB07R40	7W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
K-One Spot Light	LYALCB07R30	7W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
K-One Spot Light	LYALCB12R65	12W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
K-One Spot Light	LYALCB12R40	12W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
K-One Spot Light	LYALCB12R30	12W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
K-One Spot Light	LYALCB18R65	18W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium
K-One Spot Light	LYALCB18R40	18W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium
K-One Spot Light	LYALCB18R30	18W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium



## PENTA PANEL LIGHTS

Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensios	Cut- Out	Material
Penta Panel Light	LYALCB12R65	12W	COOL WHITE	B+W	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	120mm	110mm	Polycarbonate
Penta Panel Light	LYALCB12R40	12W	NATURAL WHITE	B+W	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	120mm	110mm	Polycarbonate
Penta Panel Light	LYALCB12R30	12W	WARM WHITE	B+W	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	120mm	110mm	Polycarbonate
Penta Panel Light	LYALCB18R65	18W	COOL WHITE	B+W	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	150mm	140mm	Polycarbonate
Penta Panel Light	LYALCB18R40	18W	NATURAL WHITE	B+W	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	150mm	140mm	Polycarbonate
Penta Panel Light	LYALCB18R30	18W	WARM WHITE	B+W	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	150mm	140mm	Polycarbonate




## CLASSIC RECESSED DOWNLIGHT

Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensions	Cut- Out	Material
Classic Recessed Downlight	LYALCB12R65	12W	COOL WHITE	B+W	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	120mm	110mm	Polycarbonate
Classic Recessed Downlight	LYALCB12R40	12W	NATURAL WHITE	B+W	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	120mm	110mm	Polycarbonate
Classic Recessed Downlight	LYALCB12R30	12W	WARM WHITE	B+W	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	120mm	110mm	Polycarbonate
Classic Recessed Downlight	LYALCB18R65	18W	COOL WHITE	B+W	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	150mm	140mm	Polycarbonate
Classic Recessed Downlight	LYALCB18R40	18W	NATURAL WHITE	B+W	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	150mm	140mm	Polycarbonate
Classic Recessed Downlight	LYALCB18R30	18W	WARM WHITE	B+W	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	150mm	140mm	Polycarbonate




## ZENITH PANEL LIGHTS

Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensios	Cut- Out	Material
Zenith Panel Light	LYALCB07R65	8W	COOL WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Zenith Panel Light	LYALCB07R40	8W	NATURAL WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Zenith Panel Light	LYALCB07R30	8W	WARM WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	63mm	55mm	Aluminium
Zenith Panel Light	LYALCB12R65	12W	COOL WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Zenith Panel Light	LYALCB12R40	12W	NATURAL WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Zenith Panel Light	LYALCB12R30	12W	WARM WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	83mm	75mm	Aluminium
Zenith Panel Light	LYALCB18R65	15W	COOL WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium
Zenith Panel Light	LYALCB18R40	15W	NATURAL WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium
Zenith Panel Light	LYALCB18R30	15W	WARM WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	95mm	80mm	Aluminium




## ZYRO PANEL LIGHT

Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensios	Cut- Out	Material
Zyro Panel Light	LYALCB07R65	8W	COOL WHITE	White	AC 80-300V	100lm/W	>0.9	B0	upto 4KVA	mm	55mm	Aluminium
Zyro Panel Light	LYALCB07R40	8W	NATURAL WHITE	White	AC 80-300V	100lm/W	>0.9	B0	upto 4KVA	63mm	55mm	Aluminium
Zyro Panel Light	LYALCB07R30	8W	WARM WHITE	White	AC 80-300V	100lm/W	>0.9	B0	upto 4KVA	63mm	55mm	Aluminium
Zyro Panel Light	LYALCB12R65	12W	COOL WHITE	White	AC 80-300V	100lm/W	>0.9	B0	upto 4KVA	83mm	75mm	Aluminium
Zyro Panel Light	LYALCB12R40	12W	NATURAL WHITE	White	AC 80-300V	100lm/W	>0.9	B0	upto 4KVA	83mm	75mm	Aluminium
Zyro Panel Light	LYALCB12R30	12W	WARM WHITE	White	AC 80-300V	100lm/W	>0.9	B0	upto 4KVA	83mm	75mm	Aluminium
Zyro Panel Light	LYALCB18R65	18W	COOL WHITE	White	AC 80-300V	100lm/W	>0.9	B0	upto 4KVA	95mm	80mm	Aluminium
Zyro Panel Light	LYALCB18R40	18W	NATURAL WHITE	White	AC 80-300V	100lm/W	>0.9	B0	upto 4KVA	95mm	80mm	Aluminium
Zyro Panel Light	LYALCB18R30	18W	WARM WHITE	White	AC 80-300V	100lm/W	>0.9	B0	upto 4KVA	95mm	80mm	Aluminium



## ZYRO SURFACE PANEL LIGHTS

Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensios	Cut- Out	Material
Zyro Surface Panel Light	LYALCB07R65	12W	COOL WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	145mm	145mm	Aluminium
Zyro Surface Panel Light	LYALCB07R40	12W	NATURAL WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	145mm	145mm	Aluminium
Zyro Surface Panel Light	LYALCB07R30	12W	WARM WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	145mm	145mm	Aluminium
Zyro Surface Panel Light	LYALCB12R65	18W	COOL WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	170mm	170mm	Aluminium
Zyro Surface Panel Light	LYALCB12R40	18W	NATURAL WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	170mm	170mm	Aluminium
Zyro Surface Panel Light	LYALCB12R30	18W	WARM WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	170mm	170mm	Aluminium
Zyro Surface Panel Light	LYALCB18R65	24W	COOL WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	200mm	200mm	Aluminium
Zyro Surface Panel Light	LYALCB18R40	24W	NATURAL WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	200mm	200mm	Aluminium
Zyro Surface Panel Light	LYALCB18R30	24W	WARM WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	200mm	200mm	Aluminium



## APEX PANEL LIGHT

Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensios	Cut- Out	Material
Apex Panel	LYALCB07R65	8W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	100mm		Polycarbonate
Apex Panel	LYALCB07R40	8W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	100mm		Polycarbonate
Apex Panel	LYALCB07R30	8W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	100mm		Polycarbonate
Apex Panel	LYALCB12R65	12W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	145mm		Polycarbonate
Apex Panel	LYALCB12R40	12W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	145mm	/	Polycarbonate
Apex Panel	LYALCB12R30	12W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	145mm		Polycarbonate
Apex Panel	LYALCB18R65	18W	COOL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	175mm		Polycarbonate
Apex Panel	LYALCB18R40	18W	NATURAL WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	175mm		Polycarbonate
Apex Panel	LYALCB18R30	18W	WARM WHITE	G+W,B+W,B+B	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	175mm		Polycarbonate



## TRIMLESS SURFACE PANEL

Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensios	Cut- Out	Material
Trimless Surface Panel	LYALCB12R65	12W	COOL WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	120mm		Aluminium
Trimless Surface Panel	LYALCB12R40	12W	NATURAL WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	120mm	/	Aluminium
Trimless Surface Panel	LYALCB12R30	12W	WARM WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	120mm		Aluminium
Trimless Surface Panel	LYALCB18R65	18W	COOL WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	170mm		Aluminium
Trimless Surface Panel	LYALCB18R40	18W	NATURAL WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	170mm		Aluminium
Trimless Surface Panel	LYALCB18R30	18W	WARM WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	170mm		Aluminium



## DELTA SURFACE DOWNLIGHT

Product Description	Item Code	Wattage	CCT	Body Colour	Input Voltage (V)	Lumens	Power Factor	CRI (Ra)	Surge Protection	Dimensios	Cut- Out	Material
Delta Surface Doenlight	LYALCB12R65	7W	COOL WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	62mm		Aluminium
Delta Surface Doenlight	LYALCB12R40	7W	NATURAL WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	62mm		Aluminium
Delta Surface Doenlight	LYALCB12R30	7W	WARM WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	62mm	/	Aluminium
Delta Surface Doenlight	LYALCB18R65	12W	COOL WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	70mm		Aluminium
Delta Surface Doenlight	LYALCB18R40	12W	NATURAL WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	70mm		Aluminium
Delta Surface Doenlight	LYALCB18R30	12W	WARM WHITE	White	AC 80-300V	100lm/W	>0.9	80	upto 4KVA	70mm		Aluminium



INDOOR -OUTDOOR LIGHTING SOLUTIONS



Plot No. 2 , Khuda Ali Sher , UT , Chandigarh -160001



info@lyvios.co.in



07973750338



www.lyvios.co.in

---

FOLLOW US ON



lyviosledlights